# XPREDATOR X1

THE ULTIMATE GAMING SERIES

EVIL BLACK EDITION

Performance Gaming System

PGS

## Are You Game Enough ?

Ultimate Gaming Series

"Value Series" :
Best VALUE gaming cases with the highest C/P Ratio (Cost to Performance ratio).

"Professional Series – Red label" :
Super tower or Supermid-tower cases with elegant, clean line designs.

"Aluminum – Silver label" :
Unique "Full aluminum" cases targeting at power users, professionals and gamers.

"Ultimate Gaming Series – Black label" :
Ultimate gaming cases targeting at the extreme gamers.
This Series offers gamers with most functions, expandability and Extreme cooling.

"Compact – Blue Label" : Small form factor case series including cube cases, mini-ITX and Mini-Tower (Micro-ATX).

Be cool! Be Aerocool!



FRONT

ISO_45

BACK

SIDE

SIDE_OPEN

- Solidly constructed chassis interior (0.5mm SPCC).

- Supports CPU cooler max. height up to 158mm.

- Supports Long VGA Cards up to 400mm.

- Includes 1 x 12cm Black fan at rear and 1 x 12cm Orange LED fan in front.

- Top panel flaps can be opened or closed to control air flow more efficiently.

- Dust filter for PSU.

- Includes a fan controller knob controls fan/s up to 25W.

- 6 x 5 1/4" < 3 1/2" convertor brackets (Multi-Purpose Adaptors to install fans, HDDs and floppy/card rader)

  – can be used as fan adaptor, can install 3.5" HDDs and 2.5" HDDs and can be used to install floppy or card reader.

- Cable Routing Management (pre-drilled holes on the MB plate).

- Pre-drilled CPU holes for easy mounting and removable of CPU cooler.

- 2 x USB3.0 or 2 x USB2.0 and Audio/Mic ports are easily accessible from top panel.

## Specifications

| | |
|---|---|
| Case Type | Midi Tower |
| Material | SPCC 0.5 mm |
| Motherboards | Micro ATX/ATX |
| Chassis Dimensions | 482mm(H) x 475mm(D) x 190mm (W) |
| Drive Bays | 3x 5.25" (Exposed) / 6x 3.5" HDD or 2.5" HDD |
| Expansion Slots | 7 Slots |
| Max length space available for PCI slots | 400 mm |
| I / O Ports | 2 x USB 3.0 or 2 x USB 2.0 / Audio+Mic / |
| Fan controller | Support up to 25W |

## Cooling System

| | Front "Quad Orange LEDs" | Rear |
|---|---|---|
| | | |
| Fan | 120 x120 x 25 mm | 120 x120 x 25 mm |
| Rated voltage | 12V | 12V |
| Starting voltage | <=6V(Power ON/OFF) | <=6V(Power ON/OFF) |
| Power Consumption | 4.68W | 4.68W |
| Rated Current | 0.39A | 0.39A |
| Speed | 1200+-10%RPM | 1200+-10%RPM |
| Air Flow | 84.817 CMF | 84.817 CMF |
| Air Pressure | 1.171 MM-H2O | 1.171 MM-H2O |
| Noise (dBA) | 33.0dBA | 33.0dBA |
| MTBF | 100000 hours | 100000 hours |

## Superb airflow - install up to 12 fans !!

1. Front - can install 1~3 12cm fans - (w/Fan adaptor)
(1 x 12cm Orange LED fan included)

2. Back - 1 x 8 or 1 x 9 or 1 x 12cm fan
(1 x 12cm Black fan included )

3. Side - 2 x 12 or 14cm fans (Optional)

4. Top - 2 x 12cm fans (Optional)

5. Bottom - 1 x 12cm fan (Optional)

Performance Gaming System
PGS

Ultimate Gaming Series

Inside

-Includes a fan controller knob controls fan/s up to 25W

Open and shut switchfor the top ventilation

Sufficient depth of chassis for installing long cards

Tool-fee for 5.25" bay

Can install 1x8 or 1x9 or 1x12cm fan

Shell-like vent structure design give an unique look

Provide easy access to CPU cooler's back plate

Front air intake 1~3 x12cm fans

Pre-drilled water pipe holes

Storage compartment with anti-slip rubber pad

Pre-drilled holes for cable management "with Rubber protection"

Can install 1x12cm fan

2x USB 3.0 or 2x USB 2.0

Top air intake 2x12 cm fan

Large vent holes for PSU installed at bottom of case for great air flow

Fan Speed
XPREDATOR X1